



Claremont®



Kingston™



Lisbon™



Odessa™

SEATING CAPACITY	5-6 seats	6-7 seats	5-6 seats	6-7 seats
DIMENSIONS	7'8" x 8'4" x 34" 234 cm x 254 cm x 86.4 cm	7'8" x 8'4" x 34" 234 cm x 254 cm x 86.4 cm	7'5" x 7'5" x 34" 226 cm x 226 cm x 86.4 cm	7'5" x 7'5" x 34" 226 cm x 226 cm x 86.4 cm
DRY WEIGHT	1,045 lbs (474 kg)	1,048 lbs (440 kg)	819 lbs (371 kg)	813 lbs (369 kg)
TOTAL FILLED WEIGHT	5,348 lbs (2,426 kg)	5,310 lbs (2,409 kg)	4,822 lbs (2,187 kg)	4,658 lbs (2,113 kg)
AVERAGE SPA VOLUME	405 gallons (1,533 liters)	401 gallons (1,518 liters)	370 gallons (1,401 liters)	341 gallons (1,291 liters)
PUMP 1 NORTH AMERICA	1-speed/2.5 HP continuous	1-speed/2.5 HP continuous	1-speed/2.5 HP continuous	1-speed/2.5 HP continuous
PUMP 1 INTERNATIONAL	1-speed/2.0 HP continuous	1-speed/2.0 HP continuous	1-speed/2.0 HP continuous	1-speed/2.0 HP continuous
PUMP 2 NORTH AMERICA	1-speed/2.5 HP continuous	1-speed/2.5 HP continuous	1-speed/2.5 HP continuous	1-speed/2.5 HP continuous
PUMP 2 INTERNATIONAL	1-speed/2.0 HP continuous	1-speed/2.0 HP continuous	1-speed/2.0 HP continuous	1-speed/2.0 HP continuous
PUMP 3 NORTH AMERICA	1-speed/2.5 HP continuous	1-speed/2.5 HP continuous	-	-
PUMP 3 INTERNATIONAL	1-speed/2.0 HP continuous	1-speed/2.0 HP continuous	-	-
CIRCULATION PUMP	Yes	Yes	Yes	Yes
TOTAL HYDROJETS	59	57	44	37
WHIRLPOOL JET	2	-	-	-
VORTEX™ JET	6	8	5	7
FLUIDIX INTELLI-JET™	2	2	1	2
FLUIDIX ST™ JET	12	12	12	12
ACCU-PRESSURE™ JET	5	13	2	2
FOCUS RELIEF® JET	8	-	6	-
PULSATOR™ JET	4	4	4	2
FLUIDIX REFLEX™ JET	14	14	10	6
FLUIDIX NEX™ JET	6	4	4	6
SILENT AIR® INJECTOR JET	6	12	8	10
LOUNGE SEATING	Yes	-	Yes	-
FILTERS	MicroClean® Ultra filtration system, 130 ft² (2 interlocking cartridge filters)	MicroClean® Ultra filtration system, 130 ft² (2 interlocking cartridge filters)	MicroClean® Ultra filtration system, 130 ft² (2 interlocking cartridge filters)	MicroClean® Ultra filtration system, 130 ft² (2 interlocking cartridge filters)
WATER MANAGEMENT SYSTEM	CLEARARRAY® water management system	CLEARARRAY® water management system	CLEARARRAY® water management system	CLEARARRAY® water management system
LIGHTING	Multicolored LED lighting system (1 waterfall, 1 footwell), exterior corner lights, SunCooler bin lights, seat accent lights	Multicolored LED lighting system (1 waterfall, 1 footwell), exterior corner lights, SunCooler bin lights, seat accent lights	Multicolored LED lighting system (1 waterfall, 1 footwell), exterior corner lights, seat accent lights	Multicolored LED lighting system (1 waterfall, 1 footwell), exterior corner lights, seat accent lights
PILLOWS	3	4	3	4
WATERFALLS	1	1	1	1
ELECTRICAL NORTH AMERICA	240VAC 60Hz 40A/50A or 60A	240VAC 60Hz 40A/50A or 60A	240VAC 60Hz 40A/50A or 60A	240VAC 60Hz 40A/50A or 60A
ELECTRICAL INTERNATIONAL	230-240VAC 50Hz 1x20A, 1x16A/1x20A, 3x16A	230-240VAC 50Hz 1x20A, 1x16A/1x20A, 3x16A	230-240VAC 50Hz 1x20A, 1x16A/1x20A, 3x16A	230-240VAC 50Hz 1x20A, 1x16A/1x20A, 3x16A
CABINTRY	Coastal, Mahogany	Coastal, Mahogany	Coastal, Mahogany	Coastal, Mahogany
ACRYLIC COLOR SHELLS	Porcelain, Celestite, Platinum, Sahara, Copper Sand, Monaco, Midnight	Porcelain, Celestite, Platinum, Sahara, Copper Sand, Monaco, Midnight	Porcelain, Celestite, Platinum, Sahara, Oyster, Sandstone, Copper Sand, Monaco, Caribbean Surf, Midnight	Porcelain, Celestite, Platinum, Sahara, Oyster, Sandstone, Copper Sand, Monaco, Caribbean Surf, Midnight
SMARTTUB™ SYSTEM	SmartTub™ module (North American only) standard	SmartTub™ module (North American only) standard	SmartTub™ module (North American only) standard	SmartTub™ module (North American only) standard
UPGRADES	<ul style="list-style-type: none"> · CLEARARRAY® PRO₃TECT™ automatic oxidizer · Integrated BLUEWAVE® spa stereo · Winter wrap insulation 	<ul style="list-style-type: none"> · CLEARARRAY® PRO₃TECT™ automatic oxidizer · Integrated BLUEWAVE® spa stereo · Winter wrap insulation 	<ul style="list-style-type: none"> · CLEARARRAY® PRO₃TECT™ automatic oxidizer · Integrated BLUEWAVE® spa stereo · Winter wrap insulation 	<ul style="list-style-type: none"> · CLEARARRAY® PRO₃TECT™ automatic oxidizer · Integrated BLUEWAVE® spa stereo · Winter wrap insulation



Maxxus™



Aspen®



Cameo®



Optima®

SEATING CAPACITY	6 seats	7-8 seats	5-6 seats	6-7 seats
DIMENSIONS	7'7" x 9'2" x 41.5" 229 cm x 280 cm x 106 cm	7'7" x 9'2" x 41.5" 229 cm x 280 cm x 106 cm	7'5" x 7'5" x 37.5" 226 cm x 226 cm x 96 cm	7'5" x 7'5" x 37.5" 226 cm x 226 cm x 96 cm
DRY WEIGHT	1,143 lbs (518 kg)	1,154 lbs (523 kg)	962 lbs (436 kg)	924 lbs (419 kg)
TOTAL FILLED WEIGHT	6,898 lbs (3,129 kg)	6,784 lbs (3,077 kg)	4,882 lbs (2,214 kg)	5,344 lbs (2,424 kg)
AVERAGE SPA VOLUME	540 gallons (2,044 liters)	520 gallons (1,968 liters)	370 gallons (1,401 liters)	410 gallons (1,552 liters)
PUMP 1 NORTH AMERICA	1-speed/2.5 HP continuous	1-speed/2.5 HP continuous	1-speed/2.5 HP continuous	1-speed/2.5 HP continuous
PUMP 1 INTERNATIONAL	1-speed/2.0 HP continuous	1-speed/2.0 HP continuous	1-speed/2.0 HP continuous	1-speed/2.0 HP continuous
PUMP 2 NORTH AMERICA	1-speed/2.5 HP continuous	1-speed/2.5 HP continuous	1-speed/2.5 HP continuous	1-speed/2.5 HP continuous
PUMP 2 INTERNATIONAL	1-speed/2.0 HP continuous	1-speed/2.0 HP continuous	1-speed/2.0 HP continuous	1-speed/2.0 HP continuous
PUMP 3 NORTH AMERICA	1-speed/2.5 HP continuous	1-speed/2.5 HP continuous	-	-
PUMP 3 INTERNATIONAL	1-speed/2.0 HP continuous	1-speed/2.0 HP continuous	-	-
CIRCULATION PUMP	Yes	Yes	Yes	Yes
TOTAL HYDROJETS	65	66	54	47
WHIRLPOOL JET	2	2	4	1
VORTEX™ JET	7	2	6	7
FLUIDIX INTELLI-JET™	2	6	2	5
FLUIDIX ST™ JET	12	12	12	16
ACCU-PRESSURE™ JET	14	18	6	12
FOCUS RELIEF® JET	8	-	8	-
PULSATOR™ JET	6	4	4	2
FLUIDIX REFLEX™ JET	6	14	6	-
FLUIDIX NEX™ JET	8	8	6	4
SILENT AIR® INJECTOR JET	6	14	6	14
LOUNGE SEATING	Yes	-	Yes	-
FILTERS	MicroClean® Ultra filtration system, 130 ft ² (2 interlocking cartridge filters)	MicroClean® Ultra filtration system, 130 ft ² (2 interlocking cartridge filters)	MicroClean® Ultra filtration system, 130 ft ² (2 interlocking cartridge filters)	MicroClean® Ultra filtration system, 130 ft ² (2 interlocking cartridge filters)
WATER MANAGEMENT SYSTEM	CLEARARRAY® water management system	CLEARARRAY® water management system	CLEARARRAY® water management system	CLEARARRAY® water management system
LIGHTING	Multicolored sunglow LED lighting system (2 waterfall, 2 footwell, 8 air controls, 2 massage selectors, 2 backlit handrails, and optional [factory installed] exterior lights)	Multicolored sunglow LED lighting system (2 waterfall, 2 footwell, 8 air controls, 2 massage selectors, 2 backlit handrails, and optional [factory installed] exterior lights)	Multicolored sunglow LED lighting system (1 waterfall, 1 footwell, 5 air controls, 2 massage selectors, 2 backlit handrails, and optional [factory installed] exterior lights)*	Multicolored sunglow LED lighting system (1 waterfall, 1 footwell, 5 air controls, 2 massage selectors, 2 backlit handrails, and optional [factory installed] exterior lights)*
PILLOWS	4	4	3	4
WATERFALLS	2	2	1	1
ELECTRICAL NORTH AMERICA	240VAC 60Hz 50A or 60A	240VAC 60Hz 50A or 60A	240VAC 60Hz 40A, 50A or 60A	240VAC 60Hz 40A, 50A or 60A
ELECTRICAL INTERNATIONAL	230-240VAC 50Hz 1x40A, 2x25A, 1x25A/1x32A	230-240VAC 50Hz 1x40A, 2x25A, 1x25A/1x32A	230-240VAC 50Hz 1x40A, 1x16A/1x32A, 1x20A/1x16A, 3x16A	230-240VAC 50Hz 1x40A, 1x16A/1x32A, 1x20A/1x16A, 3x16A
SUNSIDE™ CABINERY	Modern Hardwood, Brushed Gray, Vintage Oak	Modern Hardwood, Brushed Gray, Vintage Oak	Modern Hardwood, Brushed Gray, Vintage Oak	Modern Hardwood, Brushed Gray, Vintage Oak
ACRYLIC COLOR SHELLS	Porcelain, Celestite, Platinum, Sahara, Copper Sand, Monaco, Midnight	Porcelain, Celestite, Platinum, Sahara, Copper Sand, Monaco, Midnight	Porcelain, Celestite, Platinum, Sahara, Oyster, Sandstone, Copper Sand, Monaco, Caribbean Surf, Midnight	Porcelain, Celestite, Platinum, Sahara, Oyster, Sandstone, Copper Sand, Monaco, Caribbean Surf, Midnight
SMARTTUB™ SYSTEM	Optional SmartTub™ module (North American only)	Optional SmartTub™ module (North American only)	Optional SmartTub™ module (North American only)	Optional SmartTub™ module (North American only)
UPGRADES	<ul style="list-style-type: none"> · CLEARARRAY® PRO₃TECT™ automatic oxidizer · Integrated BLUEWAVE® spa stereo · SunStrong® and SunStrong® Extreme cover · EcoWrap® insulation 	<ul style="list-style-type: none"> · CLEARARRAY® PRO₃TECT™ automatic oxidizer · Integrated BLUEWAVE® spa stereo · SunStrong® and SunStrong® Extreme cover · EcoWrap® insulation 	<ul style="list-style-type: none"> · CLEARARRAY® PRO₃TECT™ automatic oxidizer · Integrated BLUEWAVE® spa stereo · SunStrong® and SunStrong® Extreme cover · EcoWrap® insulation 	<ul style="list-style-type: none"> · CLEARARRAY® PRO₃TECT™ automatic oxidizer · Integrated BLUEWAVE® spa stereo · SunStrong® and SunStrong® Extreme cover · EcoWrap® insulation

*SunSide™ premium cabinet comes standard with exterior lights.



Altamar®



Marin®



Cambria™



Capri®

SEATING CAPACITY	5-6 seats	4-5 seats	6 seats	2-3 seats
DIMENSIONS	6'9" x 7'2" x 37.5" 206 cm x 219 cm x 96 cm	6'4" x 7'7" x 34" 193 cm x 231 cm x 86 cm	6'4" x 7'7" x 34" 193 cm x 231 cm x 86 cm	5'9" x 6'10" x 30.5" 176 cm x 209 cm x 78 cm
DRY WEIGHT	875 lbs (397 kg)	803 lbs (364.23 kg)	772 lbs (364 kg)	635 lbs (288 kg)
TOTAL FILLED WEIGHT	4,878 lbs (2,213 kg)	4,222 lbs (1,915 kg)	4,108 lbs (1,863 kg)	3,262 lbs (1,480 kg)
AVERAGE SPA VOLUME	390 gallons (1,476 liters)	320 gallons (1,211 liters)	335 gallons (1,268 liters)	230 gallons (871 liters)
PUMP 1 NORTH AMERICA	1-speed/2.5 HP continuous	1-speed/2.5 HP continuous	1-speed/2.5 HP continuous	1-speed/2.5 HP continuous
PUMP 1 INTERNATIONAL	1-speed/2.0 HP continuous	1-speed/2.0 HP continuous	1-speed/2.0 HP continuous	1-speed/2.0 HP continuous
PUMP 2 NORTH AMERICA	1-speed/2.5 HP continuous	1-speed/2.5 HP continuous	1-speed/2.5 HP continuous	-
PUMP 2 INTERNATIONAL	1-speed/2.0 HP continuous	1-speed/2.0 HP continuous	1-speed/2.0 HP continuous	-
CIRCULATION PUMP	Yes	Yes	Yes	Yes
TOTAL HYDROJETS	41	45	46	31
WHIRLPOOL JET	3	-	-	-
VORTEX™ JET	2	7	8	1
FLUIDIX INTELLI-JET™	6	2	2	2
FLUIDIX ST™ JET	12	12	16	10
ACCU-PRESSURE™ JET	-	2	2	4
FOCUS RELIEF® JET	6	10	8	4
PULSATOR™ JET	2	2	4	2
FLUIDIX REFLEX™ JET	6	6	-	6
FLUIDIX NEX™ JET	4	4	6	2
SILENT AIR® INJECTOR JET	8	4	6	8
LOUNGE SEATING	Yes	Yes	-	-
FILTERS	MicroClean® Ultra filtration system, 130 ft² (2 interlocking cartridge filters)	MicroClean® Ultra filtration system, 130 ft² (2 interlocking cartridge filters)	MicroClean® Ultra filtration system, 130 ft² (2 interlocking cartridge filters)	MicroClean® Ultra filtration system, 130 ft² (2 interlocking cartridge filters)
WATER MANAGEMENT SYSTEM	CLEARARRAY® water management system	CLEARARRAY® water management system	CLEARARRAY® water management system	CLEARARRAY® water management system
LIGHTING	Multi-Colored sunglow LED lighting system (1 waterfall, 1 footwell, 5 air controls, 1 massage selectors, 1 backlit handrails, and optional [factory installed] exterior lights)*	Multi-Colored LED lighting system (1 waterfall, 1 main light, 4 air controls, 1 massage selector, and optional [factory installed] exterior lights)*	Multi-Colored LED lighting system (1 waterfall, 1 main light, 4 air controls, 1 massage selector, and optional [factory installed] exterior lights)*	Multi-Colored sunglow LED lighting system (1 waterfall, 1 main light, 2 air controls, 1 massage selectors, and optional [factory installed] exterior lights)*
PILLOWS	3	4	3	3
WATERFALLS	1	1	1	1
ELECTRICAL NORTH AMERICA	240VAC 60Hz 40A, 50A or 60A	240VAC 60Hz 40A, 50A or 60A	240VAC 60Hz 40A, 50A or 60A	240VAC 60Hz 40A or 50A
ELECTRICAL INTERNATIONAL	230-240VAC 50Hz 1x40A, 1x16A/1x32A, 1x20A/1x16A, 3x16A	230-240VAC 50Hz 1x40A, 1x16A/1x32A, 1x20A/1x16A, 3x16A	230-240VAC 50Hz 1x40A, 1x16A/1x32A, 1x20A/1x16A, 3x16A	230-240VAC 50Hz 1x25A, 2x16A
SUNSIDE™ CABINETRY	Modern Hardwood, Brushed Gray, Vintage Oak	Modern Hardwood, Brushed Gray, Vintage Oak	Modern Hardwood, Brushed Gray, Vintage Oak	Modern Hardwood, Brushed Gray, Vintage Oak
ACRYLIC COLOR SHELLS	Porcelain, Celestite, Platinum, Sahara, Oyster, Sandstone, Copper Sand, Monaco, Caribbean Surf, Midnight	Porcelain, Celestite, Platinum, Sahara, Oyster, Sandstone, Copper Sand, Monaco, Caribbean Surf, Midnight	Porcelain, Celestite, Platinum, Sahara, Oyster, Sandstone, Copper Sand, Monaco, Caribbean Surf, Midnight	Porcelain, Celestite, Platinum, Sahara, Oyster, Sandstone, Copper Sand, Monaco, Caribbean Surf, Midnight
SMARTTUB™ SYSTEM	Optional SmartTub™ module (North American only)	Optional SmartTub™ module (North American only)	Optional SmartTub™ module (North American only)	Optional SmartTub™ module (North American only)
UPGRADES	<ul style="list-style-type: none"> CLEARARRAY® PRO₃TECT automatic oxidizer Integrated BLUEWAVE® spa stereo SunStrong® and SunStrong® Extreme cover EcoWrap® insulation 	<ul style="list-style-type: none"> CLEARARRAY® PRO₃TECT automatic oxidizer Integrated BLUEWAVE® spa stereo SunStrong® and SunStrong® Extreme cover EcoWrap® insulation 	<ul style="list-style-type: none"> CLEARARRAY® PRO₃TECT automatic oxidizer Integrated BLUEWAVE® spa stereo SunStrong® and SunStrong® Extreme cover EcoWrap® insulation 	<ul style="list-style-type: none"> CLEARARRAY® PRO₃TECT automatic oxidizer Integrated BLUEWAVE® spa stereo SunStrong® and SunStrong® Extreme cover EcoWrap® insulation

*SunSide™ premium cabinet comes standard with exterior lights.

780™ Series



Sundance® Spas



Hamilton™



Chelsea®



Bristol™



Hanover®

SEATING CAPACITY	5-6 seats	6-7 seats	5 seats	6 seats
DIMENSIONS	7'5" x 7'5" x 36" 226 cm x 226 cm x 92 cm	7'5" x 7'5" x 36" 226 cm x 226 cm x 92 cm	7' x 7' x 36" 213 cm x 213 cm x 92 cm	7' x 7' x 36" 213 cm x 213 cm x 92 cm
DRY WEIGHT	826 lbs (375 kg)	873 lbs (396 kg)	745 lbs (338 kg)	740 lbs (336 kg)
TOTAL FILLED WEIGHT	4,996 lbs (2,266 kg)	5,210 lbs (2,363 kg)	4,331 lbs (1,965 kg)	4,368 lbs (1,981 kg)
AVERAGE SPA VOLUME	393 gallons (1,488 liters)	400 gallons (1,514 liters)	350 gallons (1,325 liters)	355 gallons (1,344 liters)
PUMP 1 NORTH AMERICA	1-speed/2.5 HP continuous	1-speed/2.5 HP continuous	1-speed/2.5 HP continuous	1-speed/2.5 HP continuous
PUMP 1 INTERNATIONAL	1-speed/2.0 HP continuous	1-speed/2.0 HP continuous	1-speed/2.0 HP continuous	1-speed/2.0 HP continuous
PUMP 2 NORTH AMERICA	1-speed/2.5 HP continuous	1-speed/2.5 HP continuous	1-speed/2.5 HP continuous	1-speed/2.5 HP continuous
PUMP 2 INTERNATIONAL	1-speed/2.0 HP continuous	1-speed/2.0 HP continuous	1-speed/2.0 HP continuous	1-speed/2.0 HP continuous
CIRCULATION PUMP	Yes	Yes	Yes	Yes
TOTAL HYDROJETS	41	40	38	34
VORTEX™ JET	4	5	3	3
MINI VORTEX™ JET	8	4	10	8
SMT™ MICRO JET™	6	6	4	4
ADJUSTABLE ACCU-PRESSURE™ JET	6	8	6	4
ACCU-PRESSURE™ JET	9	9	9	9
SMT™ FLUIDIX JET	8	8	6	6
LOUNGE SEATING	Yes	-	Yes	-
FILTERS	MicroClean® I filtration system with floating weir, 125 ft ² combined filtration	MicroClean® I Filtration System with Floating Weir, 125 ft ² combined filtration	MicroClean® I filtration system with floating weir, 125 ft ² combined filtration	MicroClean® I filtration system with floating weir, 125 ft ² combined filtration
WATER MANAGEMENT SYSTEM	CLEARARRAY® water management system	CLEARARRAY® water management system	CLEARARRAY® water management system	CLEARARRAY® water management system
LIGHTING	Standard multi-colored SunRay LED light; 6 LED pin lights; indicator light; air controls	Standard multi-colored SunRay LED light; 7 LED pin lights; indicator light; air controls	Standard multi-colored SunRay LED light; 6 LED pin lights; indicator light; air controls	Standard multi-colored SunRay LED light; 6 LED pin lights; indicator light; air controls
PILLOWS	3	4	3	3
WATERFALLS	1	1	1	1
ELECTRICAL NORTH AMERICA	240VAC 60Hz 40A, 50A or 60A	240VAC 60Hz 40A, 50A or 60A	240VAC 60Hz 40A, 50A or 60A	240VAC 60Hz 40A, 50A or 60A
ELECTRICAL INTERNATIONAL	230-240VAC 50Hz 1x20A, 1x16A/1x20A, 3x16A	230-240VAC 50Hz 1x20A, 1x16A/1x20A, 3x16A	230-240VAC 50Hz 1x20A, 1x16A/1x20A, 3x16A	230-240VAC 50Hz 1x20A, 1x16A/1x20A, 3x16A
SUNSTRONG® CABINETRY	Coastal, Mahogany, Autumn Walnut	Coastal, Mahogany, Autumn Walnut	Coastal, Mahogany, Autumn Walnut	Coastal, Mahogany, Autumn Walnut
ACRYLIC COLOR SHELLS	Porcelain, Celestite, Platinum, Sahara, Oyster, Sandstone, Copper Sand, Monaco, Caribbean Surf, Midnight	Porcelain, Celestite, Platinum, Sahara, Oyster, Sandstone, Copper Sand, Monaco, Caribbean Surf, Midnight	Porcelain, Celestite, Platinum, Sahara, Oyster, Sandstone, Copper Sand, Monaco, Caribbean Surf, Midnight	Porcelain, Celestite, Platinum, Sahara, Oyster, Sandstone, Copper Sand, Monaco, Caribbean Surf, Midnight
SMARTTUB™ SYSTEM	Optional SmartTub™ module (North American only)	Optional SmartTub™ module (North American only)	Optional SmartTub™ module (North American only)	Optional SmartTub™ module (North American only)
UPGRADES	<ul style="list-style-type: none"> · CLEARARRAY® PRO₃TECT automatic oxidizer · Integrated BLUEWAVE® spa stereo · SunStrong® and SunStrong® Extreme cover · EcoWrap® insulation 	<ul style="list-style-type: none"> · CLEARARRAY® PRO₃TECT automatic oxidizer · Integrated BLUEWAVE® spa stereo · SunStrong® and SunStrong® Extreme cover · EcoWrap® insulation 	<ul style="list-style-type: none"> · CLEARARRAY® PRO₃TECT automatic oxidizer · Integrated BLUEWAVE® spa stereo · SunStrong® and SunStrong® Extreme cover · EcoWrap® insulation 	<ul style="list-style-type: none"> · CLEARARRAY® PRO₃TECT automatic oxidizer · Integrated BLUEWAVE® spa stereo · SunStrong® and SunStrong® Extreme cover · EcoWrap® insulation



Montclair™



Dover™

SEATING CAPACITY	4-5 seats	2-3 seats
DIMENSIONS	6'3" x 7'7" x 33.5" 191 cm x 231 cm x 85 cm	5'9" x 6'10" x 30.5" 176 cm x 209 cm x 78 cm
DRY WEIGHT	790 lbs (358 kg)	620 lbs (281 kg)
TOTAL FILLED WEIGHT	4,251 lbs (1,928 kg)	3,247 lbs (1,473 kg)
AVERAGE SPA VOLUME	310 gallons (1,173 liters)	230 gallons (871 liters)
PUMP 1 NORTH AMERICA	1-speed/2.5 HP continuous	2-speed/1.5 HP continuous
PUMP 1 INTERNATIONAL	1-speed/2.0 HP continuous	2-speed/2.0 HP continuous
PUMP 2 NORTH AMERICA	1-speed/2.5 HP continuous	-
PUMP 2 INTERNATIONAL	1-speed/2.0 HP continuous	-
CIRCULATION PUMP	Yes	Yes
TOTAL HYDROJETS	30	23
VORTEX™ JET	3	2
MINI VORTEX™ JET	8	2
SMT™ MICRO JET™	2	4
ADJUSTABLE ACCU-PRESSURE™ JET	2	-
ACCU-PRESSURE™ JET	9	9
SMT™ FLUIDIX JET	6	6
LOUNGE SEATING	Yes	-
FILTERS	MicroClean® filtration system with floating weir, 125 ft² combined filtration	MicroClean® filtration system with floating weir, 125 ft² combined filtration
WATER MANAGEMENT SYSTEM	CLEARARRAY® water management system	CLEARARRAY® water management system
LIGHTING	Standard multi-colored SunRay LED light; 6 LED pin lights; indicator light; air controls	Standard multi-colored SunRay LED light; 4 LED pin lights; indicator light; air controls
PILLOWS	3	3
WATERFALLS	1	1
ELECTRICAL NORTH AMERICA	240VAC 60Hz 40A, 50A or 60A	120VAC 60Hz 15A or 240VAC 30A or 40A
ELECTRICAL INTERNATIONAL	230-240VAC 50Hz 1x20A, 1x16A/1x20A, 3x16A	230-240VAC 50Hz 1x16A or 2x16A
SUNSTRONG® CABINETRY	Coastal, Mahogany, Autumn Walnut	Coastal, Mahogany, Autumn Walnut
ACRYLIC COLOR SHELLS	Porcelain, Celestite, Platinum, Sahara, Oyster, Sandstone, Copper Sand, Monaco, Caribbean Surf, Midnight	Porcelain, Celestite, Platinum, Sahara, Oyster, Sandstone, Copper Sand, Monaco, Caribbean Surf, Midnight
SMARTTUB™ SYSTEM	Optional SmartTub™ module (North American only)	Optional SmartTub™ module (North American only)
UPGRADES	<ul style="list-style-type: none"> · CLEARARRAY® PRO₃TECT automatic oxidizer · Integrated BLUEWAVE® spa stereo · SunStrong® and SunStrong® Extreme cover · EcoWrap® insulation 	<ul style="list-style-type: none"> · CLEARARRAY® PRO₃TECT automatic oxidizer · Integrated BLUEWAVE® spa stereo · SunStrong® and SunStrong® Extreme cover · EcoWrap® insulation

680™

Series



Sundance® Spas



Ramona®



McKinley®



Peyton®



Edison®

SEATING CAPACITY	5-6 seats	6-7 seats	6 seats	6 seats
DIMENSIONS	7'5" x 7'5" x 36" 226 cm x 226 cm x 92 cm	7'5" x 7'5" x 36" 226 cm x 226 cm x 92 cm	7' x 7' x 36" 214 cm x 214 cm x 92 cm	7' x 7' x 36" 214 cm x 214 cm x 92 cm
DRY WEIGHT	734 lbs (333 kg)	778 lbs (353 kg)	654 lbs (297 kg)	758 lbs (344 kg)
TOTAL FILLED WEIGHT	5,071 lbs (2,300 kg)	5,115 lbs (2,320 kg)	4,490 lbs (2,037 kg)	4,511 lbs (2,046 kg)
AVERAGE SPA VOLUME	410 gallons (1,552 liters)	410 gallons (1,552 liters)	340 gallons (1,287 liters)	350 gallons (1,325 liters)
PUMP 1 NORTH AMERICA	2-speed/2.5 HP continuous	2-speed/2.5 HP continuous	2-speed/2.5 HP continuous	2-speed/2.5 HP continuous
PUMP 1 INTERNATIONAL	2-speed/2.0 HP continuous	2-speed/2.0 HP continuous	2-speed/2.0 HP continuous	2-speed/2.0 HP continuous
PUMP 2 NORTH AMERICA	1-speed/2.5 HP continuous	1-speed/2.5 HP continuous	1-speed/2.5 HP continuous	1-speed/2.5 HP continuous
PUMP 2 INTERNATIONAL	1-speed/2.0 HP continuous	1-speed/2.0 HP continuous	1-speed/2.0 HP continuous	1-speed/2.0 HP continuous
CIRCULATION PUMP	-	-	-	-
TOTAL HYDROJETS	45	44	35	35
DL JET	10	19	8	17
DV JET	4	-	4	-
DX JET	8	10	4	4
DXL JET	12	6	6	7
DVR JET	6	6	4	4
DVX JET	4	2	7	1
DST JET	1	1	-	2
DXT JET	-	-	2	-
LOUNGE SEATING	Yes	-	Yes	-
FILTERS	50 ft ² filter cartridge system	50 ft ² filter cartridge system	50 ft ² filter cartridge system	50 ft ² filter cartridge system
WATER MANAGEMENT SYSTEM	CLEARARRAY® water management system	CLEARARRAY® water management system	CLEARARRAY® water management system	CLEARARRAY® water management system
LIGHTING	CL LED lighting system (interior surround)	CL LED lighting system (interior surround)	CL LED lighting system (interior surround)	CL LED lighting system (interior surround)
PILLOWS	4	4	3	4
WATERFALLS	1	1	1	1
ELECTRICAL NORTH AMERICA	240VAC 60Hz 40A,50A or 60A	240VAC 60Hz 40A,50A or 60A	240VAC 60Hz 40A,50A or 60A	240VAC 60Hz 40A,50A or 60A
ELECTRICAL INTERNATIONAL	230-240VAC 50Hz 1x20A or 1x32A, 2x16A or 1x16A/1x20A or 3x16A	230-240VAC 50Hz 1x20A or 1x32A, 2x16A or 1x16A/1x20A or 3x16A	230-240VAC 50Hz 1x20A or 1x32A, 2x16A or 1x16A/1x20A or 3x16A	230-240VAC 50Hz 1x20A or 1x32A, 2x16A or 1x16A/1x20A or 3x16A
CABINETRY	Coastal, Mahogany, Autumn Walnut	Coastal, Mahogany, Autumn Walnut	Coastal, Mahogany, Autumn Walnut	Coastal, Mahogany, Autumn Walnut
ACRYLIC COLOR SHELLS	Porcelain, Celestite, Platinum, Sahara, Oyster, Sandstone, Copper Sand, Monaco, Caribbean Surf, Midnight	Porcelain, Celestite, Platinum, Sahara, Oyster, Sandstone, Copper Sand, Monaco, Caribbean Surf, Midnight	Porcelain, Celestite, Platinum, Sahara, Oyster, Sandstone, Copper Sand, Monaco, Caribbean Surf, Midnight	Porcelain, Celestite, Platinum, Sahara, Oyster, Sandstone, Copper Sand, Monaco, Caribbean Surf, Midnight
SMARTTUB™ SYSTEM	Optional SmartTub™ module (North American only)	Optional SmartTub™ module (North American only)	Optional SmartTub™ module (North American only)	Optional SmartTub™ module (North American only)
UPGRADES	· Integrated BLUEWAVE® spa stereo · SunStrong® and SunStrong® Extreme cover	· Integrated BLUEWAVE® spa stereo · SunStrong® and SunStrong® Extreme cover	· Integrated BLUEWAVE® spa stereo · SunStrong® and SunStrong® Extreme cover	· Integrated BLUEWAVE® spa stereo · SunStrong® and SunStrong® Extreme cover

680™

Series



Sundance® Spas



Prado®



Denali®



Alicia™



Tacoma®

SEATING CAPACITY	4-5 seats	4 seats	2-3 seats	2 seats
DIMENSIONS	6'4" x 7' x 34.5" 193 cm x 213 cm x 87 cm	78.5" dia x 36" 200 cm dia x 92 cm	6'3" x 5'5" x 32" 193 cm x 168 cm x 81 cm	5'8" x 5'8" x 31" 173 cm x 173 cm x 79 cm
DRY WEIGHT	562 lbs (255 kg)	560 lbs (254 kg)	492 lbs (223 kg)	424 lbs (192 kg)
TOTAL FILLED WEIGHT	4,219 lbs (1,914 kg)	3,062 lbs (1,389 kg)	2,780 lbs (1,261 kg)	2,009 lbs (911 kg)
AVERAGE SPA VOLUME	354 gallons (1,340 liters)	240 gallons (908 liters)	220 gallons (833 liters)	145 gallons (549 liters)
PUMP 1 NORTH AMERICA	2-speed/2.5 HP brake, 1.5 HP continuous	2-speed/1.5 HP continuous	2-speed/1.5 HP continuous	2-speed/1.5 HP continuous
PUMP 1 INTERNATIONAL	2-speed/2.0 HP continuous	2-speed/2.0 HP continuous	2-speed/2.0 HP continuous	2-speed/2.0 HP continuous
CIRCULATION PUMP	-	-	-	-
TOTAL HYDROJETS	23	20	19	12
DL JET	4	-	6	-
DV JET	-	-	4	-
DX JET	4	8	4	-
DXL JET	9	7	3	8
DVR JET	4	-	2	-
DVX JET	2	4	-	4
DST JET	-	-	-	-
DXT JET	-	-	-	-
LOUNGE SEATING	-	-	-	-
FILTERS	50 ft ² filter cartridge system	50 ft ² filter cartridge system	50 ft ² filter cartridge system	50 ft ² filter cartridge system
WATER MANAGEMENT SYSTEM	CLEARARRAY® water management system	CLEARARRAY® water management system	CLEARARRAY® water management system	CLEARARRAY® water management system
LIGHTING	6 LED bullet lights (4 above water; 2 underwater)	SunGlow multi-color LED light	6 LED bullet lights (4 above water; 2 underwater)	SunGlow multi-color LED light
PILLOWS	3	-	1	2
WATERFALLS	1	-	-	-
ELECTRICAL NORTH AMERICA	120VAC 60Hz 15A or 240VAC 30A or 40A	120VAC 60Hz 15A or 240VAC 30A or 40A	120VAC 60Hz 15A or 240VAC 30A or 40A	120VAC 60Hz 15A or 240VAC 30A or 40A
ELECTRICAL INTERNATIONAL	230-240VAC 50Hz 1x20A or 2x16A	230-240VAC 50Hz 1x20A or 2x16A	230-240VAC 50Hz 1x20A or 2x16A	230-240VAC 50Hz 1x20A or 2x16A
CABINERY	Coastal, Mahogany, Autumn Walnut	Coastal, Mahogany, Autumn Walnut	Coastal, Mahogany, Autumn Walnut	Coastal, Mahogany, Autumn Walnut
ACRYLIC COLOR SHELLS	Porcelain, Celestite, Platinum, Sahara, Oyster, Sandstone, Copper Sand, Monaco, Caribbean Surf, Midnight	Porcelain, Celestite, Platinum, Sahara, Oyster, Sandstone, Copper Sand, Monaco, Caribbean Surf, Midnight	Porcelain, Celestite, Platinum, Sahara, Oyster, Sandstone, Copper Sand, Monaco, Caribbean Surf, Midnight	Porcelain, Celestite, Platinum, Sahara, Oyster, Sandstone, Copper Sand, Monaco, Caribbean Surf, Midnight
SMARTTUB™ SYSTEM	Optional SmartTub™ module (North American only)	Optional SmartTub™ module (North American only)	Optional SmartTub™ module (North American only)	Optional SmartTub™ module (North American only)
UPGRADES	<ul style="list-style-type: none"> Integrated BLUEWAVE® spa stereo SunStrong® and SunStrong® Extreme cover 	<ul style="list-style-type: none"> Integrated BLUEWAVE® spa stereo SunStrong® and SunStrong® Extreme cover 	<ul style="list-style-type: none"> Integrated BLUEWAVE® spa stereo SunStrong® and SunStrong® Extreme cover 	<ul style="list-style-type: none"> Integrated BLUEWAVE® spa stereo SunStrong® and SunStrong® Extreme cover